



# MUSEUM STORAGE SOLUTIONS



**Material Handling USA**

**Call Now for a Free  
Quote or Site Visit!**

222 S. Main St. 5th Floor  
Salt Lake City, UT 84101  
800-326-4403  
<https://www.mh-usa.com/>

SUPERSTORE

MH-USA


Material Handling USA



## Table of Contents

### Specialty Museum Storage Products

Institutions	3
A Green Effect	4
A Growing Need	5
Exclusive Design Features	7
Additional Museum Storage Options	9
Entomology Storage Cabinets	11
Herbarium Storage Cabinets	13
Vertical Storage Systems for Paintings or Textiles	17
Storage for Artwork, Negatives, Flats, Sheets, and Prints	19
Art, Historical and Natural Storage Cabinets	23



Make it mobile...  
save space with

# *Aisle-Saver*

*Synergy Series™*

Designed to be used with a wide variety of shelving and cabinets, Aisle-Saver can reduce the space required for storage by as much as 50%.

Storage units are mounted on movable carriages, which ride on a leveled rail system. The movement can be electronic, manual or mechanical assist. When the carriage is moved, an aisle is created to allow access to stored items.

The units glide smoothly over the leveled rails, eliminating jarring and vibration.

The electronic Aisle-Saver® Synergy system offers additional benefits. Solid-state electronics and fewer moving parts increase system reliability. Maximum programming flexibility allows users to easily customize for security and safety.

Aisle-Saver® provides high-density storage and retrieval solutions to store practically anything, including: paper or electronic media, three-dimensional objects, fine art and much more.

Many of the world's finest institutions have entrusted Borroughs to help preserve their valuable artifacts.

## A Green Effect

The protection, conservation, and reduction in the use of natural resources are important goals for Borroughs Corporation. Because the impact on the environment is important, Borroughs Corporation has undergone many changes to continually improve the way business is done.

Benton County Historical Society  
California Academy of Sciences  
Canadian Museum of Nature  
Carnegie Museum of Natural History  
Chicago Field Museum  
Dallas Museum of Art  
Field Museum of Natural History  
Glencairn Museum  
Hartwick College  
Hofstra University  
Kentucky Gateway Museum Center  
Minneapolis Institute of Arts  
Missouri Historical Society  
MoMA, MoMA Annex  
Museum of Modern Art  
Naper Heritage Society  
National Postal Museum

Penn Museum  
Philadelphia Museum of Art  
Price Tower Arts Center Inc.  
Royal Ontario Museum  
SER-Everglades National Park  
Smithsonian  
State University College  
SUNY at Albany  
SUNY College at Oneonta  
The Whalehead Club  
University of Georgia  
University of Michigan  
University of Puerto Rico  
US Army/WSMR  
White Sands Missile Range  
Youngstown State

- Powder coat paint system implemented using no volatile organic compounds (VOC's).
- Universal waste including, but not limited to batteries, fluorescent lights, and computer monitor recycling.
- Packaging materials are recycled.
- All Federal, State and Local environmental regulations are met.
- City environmental compliance awards received twice within past five years.
- Estimated potential annual energy savings from recycling of steel equates to over 64,000 gallons of gasoline or more than 1,000,000 kilowatts of electricity. This is enough electrical power to supply over 100 average size houses annually.
- Implementing an effective environmental management system that meets ISO 14001:2004 standards.
- Implementing SVE and AS monitoring systems to improve the aquifer.



All of these actions help reduce harmful effects on the environment and show our commitment placed to conservation of planet resources for generations to come.


## A Growing Need

**When the Field Museum** decided to upgrade its herbarium storage, they talked to several potential cabinet suppliers. “We wanted to move to a mobile storage system,” says Christine Niezgoda, the Botany Department Collections Manager. “Our existing cabinets were free-standing units that could not be placed on mobile carriages.” After reviewing the offerings from the various cabinet suppliers, the museum replaced their old cabinets with Borroughs cabinets. “All herbarium cabinets have basically the same design,” says Ms. Niezgoda.

**“It’s the details in the fabrication and components that make the difference.”**


---

“Borroughs offered the quality, protection and functionality we wanted.”



## Exclusive Design Features

### 100% Closed Cell Silicone Gaskets



Mechanically held in place, they provide an airtight storage environment that minimizes exposure to dust, insects and other contaminants.

### 90 Degree Lift-Off Pin Hinge



Doors open a full 180 degrees and lift off easily for curatorial convenience. No tools are required.

## Standard Features

### Full Overhang Top

To ensure watertight protection from unexpected hazards, cabinets are designed with a full overhang top.

### Ergonomic Recessed Handles

Easy to grasp and open. Key lockable. Designed to be ergonomically correct. Because they are recessed, the doors lay flat when open and accommodate complete aisle closure in high-density mobile storage applications.

### Three Point Latching System

The system ensures maximum security and a tight seal by requiring a single handle turn, which engages the door at three points.

### Heavy-Duty Reinforced Steel Construction

High quality steel provides the extra strength and rigidity necessary to withstand the heaviest of loads.

### Label Holder



3"x 5" zinc plated steel card holder makes identification easy.

### Powder Coat Paint



This non-gassing baked finish ensures that collections are safe for long-term storage.

### Four Levelers Adjustable From Inside



Allows easy leveling of cabinet. Four inside leveling screws for easy adjustment. No special tools required, adjustable with a standard socket wrench.



# Additional Museum Storage Options

## Adjustable Shelf




Using slotted uprights, the "bayonet" universal mountings snap into place and can be adjusted for flexibility. Equally impressive, the shelves hold excessive weight loads.

## Castor Base



Heavy-duty frame construction with casters to allow easy ability to move cabinets.

## Long Arm Storage



Storage for all varieties of longer collections (weapons, arms, spears) cushioned cut-outs for long lasting conservation for every collection.

## Pull-Out Work Shelf



Pull-out workshelf for curatorial convenience. A pull-out work shelf helps to sort through objects without taking them to another area.

## Slide-Out Tray



On fixed runners, the trays slide out easily for specimen access.

## Rolled Textile Storage



Available in drawer-mounted, cabinet or rack styles.

## Flip-Down Drawer Front



This feature is wonderful for oversized cabinets. Helps to eliminate the lifting of heavier items out of a drawer but offers the security of additional protection from the front.

## Textile Rod



Adjustable textile rod for hanging garments.

## Full-Suspension Ball-Bearing Slides



Roll-out drawers provide full extension and hold up to 500 lbs. on select models.

## Visual Doors



Full-view safety glass for easy viewing of objects in storage.

## Open Front Full-Extension Drawer



Convenient and easy removal of objects out of a drawer without lifting or damaging.

## Vents



Vents with closure for additional air-flow to the collection.

# Entomology Storage Cabinets

## model E10

### E-Series Standard Features

- Lift-off reinforced doors
- Three-point latching system
- Lever-Ease recessed full lever handles, with key lock
- Vanguard closed-cell pure silicone gasket, mechanically held in place
- Heavy-duty reinforced steel construction
- Baked powder coat finish, non off-gassing, non-reactive, solvent free
- Plated hardware
- Sealed, waterproof top
- Four levelers adjustable from inside
- Choose from 8 standard colors; custom colors available
- Slotted uprights to match runner configuration
- One 3"x 5" label holder per door
- Protective drawer bumper stop



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
Cornell Style Cabinet (Capacity 11)	E10-CO	23"	21"	42 1/2"	210 lbs.
Cornell Style Drawer		19"	16 1/2"	3"	
USNM Style Cabinet (Capacity 11)	E10-US	23"	21"	42 1/2"	210 lbs.
USNM Style Drawer		18"	18"	2 7/8"	
Smithsonian Style Cabinet (Capacity 13)	E10-SM	23"	21"	42 1/2"	210 lbs.
Smithsonian Style Drawer		18"	17 7/8"	2 9/16"	
California Style Cabinet (Capacity 13)	E10-CA	23"	21"	42 1/2"	210 lbs.
California Style Drawer		19"	17"	2 1/2"	

## model E40



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
Cornell Style Cabinet (Capacity 24)	E40-CO	23"	21"	84"	270 lbs.
Cornell Style Drawer		19"	16 1/2"	3"	
USNM Style Cabinet (Capacity 24)	E40-US	23"	21"	84"	270 lbs.
USNM Style Drawer		18"	18"	2 7/8"	
Smithsonian Style Cabinet (Capacity 28)	E40-SM	23"	21"	84"	270 lbs.
Smithsonian Style Drawer		18"	17 7/8"	2 9/16"	
California Style Cabinet (Capacity 28)	E40-CA	23"	21"	84"	270 lbs.
California Style Drawer		19"	17"	2 1/2"	
<b>Options</b>					
<b>Pull-out shelf for Cornell and California</b>	<b>EPOS-Coca</b>	<b>19"</b>	<b>18"</b>	<b>2"</b>	<b>25 lbs.</b>
<b>Pull-out shelf for USMN and Smithsonian</b>	<b>EPOS-Ussm</b>	<b>18"</b>	<b>18"</b>	<b>2"</b>	<b>25 lbs.</b>

## model E60



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
Cornell Style Cabinet (Capacity 48)	E60-CO	44"	21"	84"	470 lbs.
Cornell Style Drawer		19"	16 1/2"	3"	
USNM Style Cabinet (Capacity 48)	E60-US	44"	21"	84"	470 lbs.
USNM Style Drawer		18"	18"	2 7/8"	
Smithsonian Style Cabinet (Capacity 56)	E60-SM	44"	21"	84"	470 lbs.
Smithsonian Style Drawer		18"	17 7/8"	2 9/16"	
California Style Cabinet (Capacity 56)	E60-CA	44"	21"	84"	470 lbs.
California Style Drawer		19"	17"	2 1/2"	
<b>OPTIONS</b>					
<b>Pull-out shelf for Cornell and California</b>	<b>EPOS-Coca</b>	<b>19"</b>	<b>18"</b>	<b>2"</b>	<b>25 lbs.</b>
<b>Pull-out shelf for USMN and Smithsonian</b>	<b>EPOS-Ussm</b>	<b>18"</b>	<b>18"</b>	<b>2"</b>	<b>25 lbs.</b>



# Herbarium Storage Cabinets

## model H10



Includes 12 compartments  
(each 12<sup>1</sup>/<sub>2</sub>" x 17<sup>3</sup>/<sub>4</sub>" x 5<sup>13</sup>/<sub>16</sub>" )

## H-Series Standard Features

- Lift-off reinforced doors, each door seals and operates independently
- Three-point latching system
- Lever-Ease recessed full lever handles, with key lock
- Vanguard closed-cell pure silicone gasket, mechanically held in place
- Heavy-duty reinforced steel construction
- Baked powder coat finish, non off-gassing, non-reactive, solvent free
- Plated hardware
- Sealed, waterproof top
- Four levelers adjustable from inside
- Choose from 8 standard colors; custom colors available
- Space in front and rear of shelf allows for air flow
- One 3"x 5" label holder per door

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H10 Cabinet	H10	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	42 <sup>1</sup> / <sub>2</sub> "	170 lbs.
OPTIONS			16	3"	WEIGHT
Magnetic Fumigant Pocket (black)	FMMFP-040				1 lb.

## model H20



Includes 24 compartments  
(each 12<sup>1</sup>/<sub>2</sub>" x 17<sup>3</sup>/<sub>4</sub>" x 5<sup>13</sup>/<sub>16</sub>" )

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H20 Cabinet	H20	55 <sup>3</sup> / <sub>32</sub> "	19 <sup>1</sup> / <sub>2</sub> "	42 <sup>1</sup> / <sub>2</sub> "	291 lbs.
OPTIONS			16	3"	
Magnetic Fumigant Pocket (black)	FMMFP-040				1 lb.

## model H40



Includes 26 compartments  
(each 12<sup>1</sup>/<sub>2</sub>" x 17<sup>3</sup>/<sub>4</sub>" x 5<sup>13</sup>/<sub>16</sub>" )

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H40 Cabinet with right hand swing door	H40-RH	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	305 lbs.
H40 Cabinet with (1) work shelf installed	H40-RH1WS	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	315 lbs.
H40 Cabinet with left hand swing door	H40-LH	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	305 lbs.
H40 Cabinet with (1) work shelf installed	H40-LH1WS	28 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	315 lbs.
OPTIONS					
Magnetic Fumigant Pocket (black)	FMFP-040				1 lb.
Removable Sanitary Pallet Basey (28)	H40RSPB	228 <sup>5</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>2</sub> "	4 <sup>1</sup> / <sub>2</sub> "	25 lbs.

## model H60



Includes 52 compartments  
(each 12<sup>1</sup>/<sub>2</sub>" x 17<sup>3</sup>/<sub>4</sub>" x 5<sup>13</sup>/<sub>16</sub>" )

Option for workshelves

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
H60 Cabinet	H60	55 <sup>3</sup> / <sub>32</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	560 lbs.
H60 Cabinet with 2 workshelves	H60-2WS	55 <sup>3</sup> / <sub>32</sub> "	19 <sup>1</sup> / <sub>2</sub> "	84"	580 lbs.
<b>OPTIONS</b>	<b>E40-SM</b>	<b>23"</b>	<b>21"</b>		<b>185 lbs.</b>
Magnetic Fumigant Pocket (black)	FMFP-040				1 lb.
Removable Sanitary Pallet Base (28)	H60RSPB	55 <sup>3</sup> / <sub>32</sub> "	19 <sup>1</sup> / <sub>2</sub> "	4 <sup>1</sup> / <sub>2</sub> "	32 lbs.

## model M40DRY



- Adjustable control heater  
5120/2560 BTUH  
1500/750 watts-120 volts  
12.5/6.2 Amps AC
- Overheat protection and thermal protectors
- Heater element "ON" indicator/fan "ON" indicator
- Auto reset
- Temperature indicator degree high-130 plus; relative to content density
- Four perforated air vents-2 intakes and 2 exhausts; Upward air movement

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M40DRY cabinet with 5 perforated shelves adjustable in height one-inch centers	M40DRY	29"	32"	84"	375 lbs.
<b>OPTIONS</b>					
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.

## Carts



### Transfer Cart

The transfer cart is designed to help move the collection from one building to the next or interchanging within the collection area.



### Herbarium Cart

Two-sided herbarium carts for the curatorial convenience of moving your collections with ease.



### Utility Cart

A specially designed work cart for curatorial convenience and assistance. Top can be inverted (as shown) or tray style like bottom shelf.

# Vertical Storage Systems for Paintings/Textiles/Long Artifacts

- Expanded aluminum frame construction provides high strength to weight ratio
  - Panel weight is 1.3 lbs./sq. ft., will support 10 lbs./sq. ft.
  - Material is 6063 T52 Aluminum Alloy
  - Anodized aluminum or baked powder finish; non-reactive, non-off gassing
  - Modular building-block design allows for virtually any size
  - Roll-formed, plated track is constructed of 11 to 12 gauge steel, depending upon load requirements
  - Objects are secured with hooks or special attachments
- Stainless steel hooks support up to 150 lbs. each
  - All-steel trolley system with permanently lubricated ball bearings
  - Trolley mounted vibration damper isolates the trolley from the frame
  - Choose from 8 standard colors; custom colors available

## Costume & Clothing Storage



## Rolled Textile & Rug Storage



## Till Storage-Custom

## Art Racks (AR)

DESCRIPTION	PART NO.	SYSTEM TYPE
Tracks and supporting hardware are anchored or attached to the ceiling above	ARCL	Ceiling Load Support
Tracks and supporting hardware are supported by I-beams and columns	ARFT	Floor Support (tracks and supporting hardware)
Limited to frame depths up to 5ft. Slides are attached to an open tube frame or inside of cabinet tops	ARTS	Telescoping Support
Frames are supported from the bottom and roll on wheels	ARFW	Floor Load (wheels)
Grooved rollers support and guide on metal rails	ARFR	Floor Load System (rail)

## Art Storage Systems



## Optional Tambour Door



Counter Height  
Till Cabinet

# Storage for Artwork, Negatives, Flats, Sheets, and Prints

## Standard Features

- Heavy duty reinforced steel construction
- Baked powder coat finish, non off-gassing, non-reactive, solvent free
- Sealed, waterproof top
- Plated hardware
- One 2" x 4" label holder per drawer
- Two pulls per drawer
- 3/4 extension, Roller Bearing Suspension (200 lbs. capacity)
- Five drawers per unit
- Designed to stack
- Choose from 8 standard colors; custom colors available

## model FFS



\* note: cabinet bottom is open, base or other cabinet is required for closure.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
35 X 30 CABINET WITH 5 DRAWERS INSTALLED	FFS-353018	35 1/8"	30"	19.5"	190 lbs.
Drawer Dimensions		30 23/32"	26 1/2"	2"	
BASE FOR 35 X 30	MAB-353007	35 1/8"	27"	4"	32 lbs.
42 X 30 CABINET WITH 5 DRAWERS INSTALLED	FFS-423018	42 1/8"	30"	19.5"	210 lbs.
Drawer Dimensions		37 23/32"	26 1/2"	2"	
BASE FOR 42 X 30	MAB-423007	42 1/8"	27"	4"	38 lbs.
48 X 37 CABINET WITH 5 DRAWERS INSTALLED	FFS-483718	48 1/8"	37"	19"	290 lbs.
Drawer Dimensions		43 23/32"	33 1/2"	2"	
BASE FOR 48 X 37	MAB-483707	48 1/8"	34"	4"	48 lbs.
55 X 43 CABINET WITH 5 DRAWERS INSTALLED	FFS-554318	55 1/8"	43"	19.5"	390 lbs.
Drawer Dimensions		50 23/32"	39 1/2"	2"	
BASE FOR 55 X 43	MAB-554307	55 1/8"	40"	4"	58 lbs.
59 X 47 CABINET WITH 5 DRAWERS INSTALLED	FFS-594718	59 1/8"	47"	19.5"	450 lbs.
Drawer Dimensions		54 23/32"	43 1/2"	2"	
BASE FOR 59 X 47	MAB-594707	59 1/8"	44"	4"	68 lbs.
69 X 55 CABINET WITH 5 DRAWERS INSTALLED	FFS-695518	69 1/8"	55"	19.5"	575 lbs.
Drawer Dimensions		64 23/32"	51 1/2"	2"	
BASE FOR 69 X 55	MAB-695507	69 1/8"	52"	4"	80 lbs.
79 X 49 CABINET WITH 5 DRAWERS INSTALLED	FFS-794918	79 1/8"	49"	19.5"	705 lbs.
Drawer Dimensions		74 23/32"	45 1/2"	2"	
BASE FOR 79 X 49	MAB-794907	79 1/8"	46"	4"	95 lbs.

\*Custom Cabinet Shown

## model FF4



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
FF4 Cabinet w/4 (3") drawers installed	FF4	55 1/4"	44 1/2"	19"	450 lbs.
FF4L Cabinet w/4 (3") locking drawers installed	FF4L	55 1/4"	44 1/2"	19"	450 lbs.
Drawer Inside Dimensions		50 3/16"	41 15/16"	3"	
<b>OPTIONS</b>					
Recessed Base	FFRB	55 1/4"	41 1/2"	3"	37 lbs.
Dolly Base w/4 Locking Casters	FFDBLC	55 1/4"	44 1/2"	6"	110 lbs.

## model FF4W



model shown is FF4


DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
FF4W Cabinet w/4 (3") drawers installed	FF4W	92 1/4"	62 1/2"	19"	950 lbs.
FF4WL Cabinet w/4 (3") locking drawers installed	FF4WL	92 1/4"	62 1/2"	19"	950 lbs.
Drawer Inside Dimensions		87	60 1/8"	3"	
<b>OPTIONS</b>					
Recessed Base	FFWRB	92 1/4"	59 1/2"	3"	51 lbs.
Dolly Base w/4 Locking Casters	FFWDBLC	92 1/4"	62 1/2"	6"	155 lbs.

## model FF6



DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
FF6 Cabinet w/6 (3") drawers installed	FF6	55 1/4"	44 1/2"	26 7/16"	610 lbs.
FF6L Cabinet w/6 (3") locking drawers installed	FF6L	55 1/4"	44 1/2"	26 7/16"	610 lbs.
Drawer Inside Dimensions		50 3/16"	41 15/16"	3"	
<b>OPTIONS</b>					
Recessed Base	FFRB	55 1/4"	41 1/2"	3"	37 lbs.
Dolly Base w/4 Locking Casters	FFDBLC	55 1/4"	44 1/2"	6"	110 lbs.

## Print, Drawing and Photograph Storage



Print, drawing and photograph storage solution to accommodate 3 different size solander boxes.

Fixed angles and pull out shelves for ease of handling. Options include a pull out workshelf.

## Conservation Lab Cabinet - Custom



Bi-fold Door Conservation Lab Cabinet  
This cabinet allows for the storage of objects that need to be housed in drawers, shelves or objects that need to be rolled.

Cabinets can be configured to suit any type of collection.

# Art, Historical and Natural Storage Cabinets

## Standard Features

- Lever-Ease recessed full lever handles, with key lock
- Vanguard closed cell pure silicone gasket, mechanically held in place
- Heavy-duty reinforced steel construction
- Baked powder coat finish, non-off gassing, non-reactive, solvent free
- Sealed, waterproof top
- Plated hardware
- One 3"x 5" label holder per door
- Choose from 8 standard colors; custom colors available

## model M10



- One lift-off reinforced door
- Three-point latching system
- EZ Glide\* Track System with low-friction high-slip coating, in D-499 Glacier White

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M10 Cabinet	M10	28 7/8"	40 1/4"	39 1/2"	210 lbs.
M10 Cabinet with vent	M10V	28 7/8"	40 1/4"	39 1/2"	211 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M10RSPB	28 7/8"	40 1/4"	4 1/2"	36 lbs.
Dolly Base w/4 Locking Casters	M10DBLC	28 7/8"	40 1/4"	6"	92 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
*EZ Glide 1" high drawer, half-width (16 maximum)	MHW2D	23 7/8"	36"	1 1/2"	15 lbs.
*EZ Glide 2" high drawer, half-width (10 maximum)	MHW3D	23 7/8"	36"	2 1/2"	16 lbs.
*EZ Glide 3" high drawer, half-width (8 maximum)	MHW4D	23 7/8"	36"	3 1/2"	17 lbs.

## model M20



- Two lift-off reinforced doors, each door operates and is sealed independently
- Three-point latching system
- Four levelers, adjustable from inside
- EZ Glide\* Track System with low-friction high-slip coating, in D-499 Glacier White

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M20 Cabinet w/adjustable vents	M20-V	57"	40 1/4"	39 1/2"	317 lbs.
M20 Cabinet w/o vents	M20	57"	40 1/4"	39 1/2"	318 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M20RSPB	57"	40 1/4"	4 1/2"	46 lbs.
Dolly Base w/4 Locking Casters	M20DBLC	57"	40 1/4"	6"	115 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider	M20EZRCDD	1"	37 1/2"	32 3/4"	82 lbs.
*EZ Glide 1" high drawer, full-width (16 maximum)	M20FW2D	52"	36"	1 1/2"	29 lbs.
*EZ Glide 1" high drawer, half-width (32 maximum)	MHW2D	23 7/8"	36"	1 1/2"	15 lbs.
*EZ Glide 2" high drawer, full-width (10 maximum)	MF20FW3D	52"	36"	2 1/2"	31 lbs.
*EZ Glide 2" high drawer, half-width (20 maximum)	MHW3D	23 7/8"	36"	2 1/2"	16 lbs.
*EZ Glide 3" high drawer, full-width (8 maximum)	M20FW4D	52"	36"	3 1/2"	33 lbs.
*EZ Glide 3" high drawer, half-width (16 maximum)	MHW4D	23 7/8"	36"	3 1/2"	17 lbs.

\*Borrighs EZ Glide Track System denotes non-ball bearing tray.

## model M22



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- EZ Glide\* Track System with low-friction high-slip coating, in D-499 Glacier White

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M22 Cabinet w/adjustable vents	M22-V	49 1/4"	30 1/2"	47 3/4"	251 lbs.
M20 Cabinet w/o vents	M22	49 1/4"	30 1/2"	47 3/4"	250 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M22RSPB	49 1/4"	30 1/2"	4 1/2"	41 lbs.
Dolly Base w/4 Locking Casters	M22DBLC	49 1/4"	30 1/2"	6"	85 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider	M22EZRCDD	1"	26 1/4"	41"	69 lbs.
*EZ Glide 1" high drawer, full-width (20 maximum)	M22FW2D	44 1/4"	26 1/4"	1 1/2"	20 lbs.
*EZ Glide 1" high drawer, half-width (40 maximum)	M22HW2D	21"	26 1/4"	1 1/2"	10 lbs.
*EZ Glide 2" high drawer, full-width (13 maximum)	MF22FW3D	44 1/4"	26 1/4"	2 1/2"	22 lbs.
*EZ Glide 2" high drawer, half-width (26 maximum)	M22HW3D	21"	26 1/4"	2 1/2"	11 lbs.
*EZ Glide 3" high drawer, full-width (10 maximum)	M22FW4D	44 1/4"	26 1/4"	3 1/2"	24 lbs.
*EZ Glide 3" high drawer, half-width (20 maximum)	M22HW4D	21"	26 1/4"	3 1/2"	12 lbs.

\*Borrighs EZ Glide Track System denotes non-ball bearing tray.

# model M30



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- Slotted uprights with 1" spacing

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M30 Cabinet w/solid metal doors	M30-SD	58"	32"	39 1/2"	220 lbs.
M30 Cabinet w/solid metal doors w/vents	M30-SDV	58"	32"	39 1/2"	221 lbs.
M30 Cabinet w/metal frame glass doors	M30-GD	58"	32"	39 1/2"	270 lbs.
M30 Cabinet w/metal frame glass doors w/vents	M30-GDV	58"	32"	39 1/2"	271 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	MRSPB	58"	32"	4 1/2"	45 lbs.
Dolly base w/4 locking casters	MDBLC	58"	32"	6"	100 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider	M30RCD	1"	30"	32 3/4"	36 lbs.
<b>SHELVES – ADJUSTABLE WITH UNIVERSAL BAYONET MOUNT</b>					
Full-width shelf (400 lbs. capacity)	MFWS400	54 1/2"	29 1/4"	1"	40 lbs.
Half-width shelf (400 lbs. capacity)	MHWS400	26 1/2"	29 1/4"	1"	22 lbs.
Full-width, heavy duty shelf (1000 lbs. capacity)	MFWS1000	54 1/2"	29 1/4"	1"	49 lbs.
<b>SHELVES – FULL EXTENSION+</b>					
Full-width shelf (100 lbs. capacity)	MFWS100	51 5/8"	28 1/4"	3/4"	50 lbs.
Half-width shelf (100 lbs. capacity)	MHWS100	23 3/4"	28 1/4"	3/4"	38 lbs.
Full-width shelf (250 lbs. capacity)	MFWS250	51 1/4"	28 1/4"	3/4"	66 lbs.
Half-width shelf (250 lbs. capacity)	MHWS250	23 3/8"	28 1/4"	3/4"	50 lbs.
Full-width shelf (500 lbs. capacity)	MFWS500	51 1/4"	28 1/4"	3/4"	66 lbs.
Half-width shelf (500 lbs. capacity)	MHWS500	23 3/8"	28 1/4"	3/4"	50 lbs.
<b>DRAWERS (INCLUDING MOUNTS) DRAWER - 100 LBS. CAPACITY</b>					
1 3/4" high drawer, full-width (16 maximum)	M2FWD100	51 1/2"	27 9/16"	1 3/8"	44 lbs.
1 3/4" high drawer, half-width (32 maximum)	M2HWD100	23 3/8"	27 9/16"	1 3/8"	34 lbs.
2 3/4" high drawer, full-width (10 maximum)	M3FWD100	51 1/2"	27 9/16"	2 3/8"	47 lbs.
2 3/4" high drawer, half-width (20 maximum)	M3HWD100	23 3/8"	27 9/16"	2 3/8"	37 lbs.
3 3/4" high drawer, full-width (8 maximum)	M4FWD100	51 1/2"	27 9/16"	3 3/8"	48 lbs.
3 3/4" high drawer, half-width (16 maximum)	M4HWD100	23 3/8"	27 9/16"	3 3/8"	38 lbs.
4 3/4" high drawer, full-width (6 maximum)	M5FWD100	51 1/2"	27 9/16"	4 3/8"	51 lbs.
4 3/4" high drawer, half-width (12 maximum)	M5HWD100	23 3/8"	27 9/16"	4 3/8"	41 lbs.
6 3/4" high drawer, full-width (4 maximum)	M7FWD100	51 1/2"	27 9/16"	6 3/8"	55 lbs.
6 3/4" high drawer, half-width (8 maximum)	M7HWD100	23 3/8"	27 9/16"	6 3/8"	45 lbs.
8 3/4" high drawer, full-width (3 maximum)	M9FWD100	51 1/2"	27 9/16"	8 3/8"	61 lbs.
8 3/4" high drawer, half-width (6 maximum)	M9HWD100	23 3/8"	27 9/16"	8 3/8"	51 lbs.
Rolled textile, open bottom drawer w/mounts	MROTEXT	49 7/8"	27"	4 3/4"	57 lbs.

Drawers include full-extension, full suspension ball-bearing slides.

Slides attach to cabinet with bayonet mounts and adjust vertically without tools

DRAWERS (INCLUDING MOUNTS)		DRAWER - 250 LBS. CAPACITY			
3 3/4" high drawer, full-width (8 maximum)	M4FWD250	51"	27 9/16"	3 3/8"	63 lbs.
3 3/4" high drawer, half-width (16 maximum)	M4HWD250	22 7/8"	27 9/16"	3 3/8"	53 lbs.
4 3/4" high drawer, full-width (6 maximum)	M5FWD250	51"	27 9/16"	4 3/8"	66 lbs.
4 3/4" high drawer, half-width (12 maximum)	M5HWD250	22 7/8"	27 9/16"	4 3/8"	56 lbs.
6 3/4" high drawer, full-width (4 maximum)	M7FWD250	51"	27 9/16"	6 3/8"	70 lbs.
6 3/4" high drawer, half-width (8 maximum)	M7HWD250	22 7/8"	27 9/16"	6 3/8"	60 lbs.
8 3/4" high drawer, full-width (3 maximum)	M9FWD250	51"	27 9/16"	8 3/8"	76 lbs.
8 3/4" high drawer, half-width (6 maximum)	M9HWD250	22 7/8"	27 9/16"	8 3/8"	66 lbs.
DRAWERS (INCLUDING MOUNTS)		DRAWER - 500 LBS. CAPACITY			
3 3/4" high drawer, full-width (8 maximum)	M4FWD500	51"	27 9/16"	3 3/8"	63 lbs.
3 3/4" high drawer, half-width (16 maximum)	M4HWD500	22 7/8"	27 9/16"	3 3/8"	53 lbs.
4 3/4" high drawer, full-width (6 maximum)	M5FWD500	51"	27 9/16"	4 3/8"	66 lbs.
4 3/4" high drawer, half-width (12 maximum)	M5HWD500	22 7/8"	27 9/16"	4 3/8"	56 lbs.
6 3/4" high drawer, full-width (4 maximum)	M7FWD500	51"	27 9/16"	6 3/8"	70 lbs.
6 3/4" high drawer, half-width (8 maximum)	M7HWD500	22 7/8"	27 9/16"	6 3/8"	60 lbs.
8 3/4" high drawer, full-width (3 maximum)	M9FWD500	51"	27 9/16"	8 3/8"	76 lbs.
8 3/4" high drawer, half-width (6 maximum)	M9HWD500	22 7/8"	27 9/16"	8 3/8"	66 lbs.
<b>OPTIONS</b>					
EZ Glide full-height, fixed-runner panel system, with protective drawer bumpers	MEZRUNHH	5/8"	30"	31 7/8"	55 lbs.
<b>*EZ GLIDE DRAWERS</b>					
Removable center divider	M30EZRCD	1"	29 1/2"	31 3/4"	60 lbs.
1 3/4" high drawer, full-width (16 maximum)	MEZ2FW	53"	27 3/4"	1 1/2"	25 lbs.
1 3/4" high drawer, half-width (32 maximum)	MEZ2HW	24 3/8"	27 3/4"	1 1/2"	15 lbs.
2 3/4" high drawer, full-width (10 maximum)	MEZ3FW	53"	27 3/4"	2 1/2"	26 lbs.
2 3/4" high drawer, half-width (20 maximum)	MEZ3HW	24 3/8"	27 3/4"	2 1/2"	16 lbs.
3 3/4" high drawer, full-width (8 maximum)	MEZ4FW	53"	27 3/4"	3 1/2"	28 lbs.
3 3/4" high drawer, half-width (16 maximum)	MEZ4HW	24 3/8"	27 3/4"	3 1/2"	17 lbs.
<b>OPTIONS</b>					
<b>ADDITIONAL ITEMS</b>					
Textile Tubes	M60TEXTUB	49 7/8"	1"	1"	2.5 lbs.
Full-width Reference Shelf	MFWREFSH	54"	29 1/4"	2"	40 lbs.
Half-width Reference Shelf	MHWREFSH	26 1/8"	29 1/4"	2"	25 lbs.

Drawer tracks are lined with a low-friction, high-slip coating, in D-499 Glacier White.

\*Borrourghs EZ Glide Track System denotes non-ball bearing tray.

+ Overall height of shelf including track is 3/4"

# model M40



- One lift-off reinforced door
- Three-point latching system
- Four levelers, adjustable from inside
- Slotted uprights with 1" spacing

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M40 Cabinet w/solid metal doors	M40-SD	29"	32"	84"	260 lbs.
M40 Cabinet w/solid metal doors w/vents	M40-SDV	29"	32"	84"	261 lbs.
M40 Cabinet w/metal frame glass doors	M40-GD	29"	32"	84"	290 lbs.
M40 Cabinet w/metal frame glass doors w/vents	M40-GDV	29"	32"	84"	291 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M40RSPB	29"	32"	4 1/2"	40 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1lb.
<b>SHELVES – ADJUSTABLE WITH UNIVERSAL BAYONET MOUNT</b>					
Full-width shelf (400 lbs. capacity)	M40FWS400	25 1/4"	29 1/4"	1"	22 lbs.
Full-width, heavy-duty shelf (1000 lbs. capacity)	M40FWS1000	25 1/4"	29 1/4"	1"	28 lbs.
<b>SHELVES – FULL EXTENSION +</b>					
Full-width shelf (100 lbs. capacity)	M40FWS100	22 5/8"	28 1/4"	3/4"	38 lbs.
Full-width shelf (250 lbs. capacity)	M40FWS250	22 1/4"	28 1/4"	3/4"	50 lbs.
Full-width shelf (500 lbs. capacity)	M40FWS500	22 1/4"	28 1/4"	3/4"	50 lbs.
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 100 LBS. CAPACITY</b>			
1 3/4" high drawer, full-width (38 maximum)	M402FWD100	22 1/4"	27 9/16"	1 3/8"	34 lbs.
2 3/4" high drawer, full-width (25 maximum)	M403FWD100	22 1/4"	27 9/16"	2 3/8"	37 lbs.
3 3/4" high drawer, full-width (19 maximum)	M404FWD100	22 1/4"	27 9/16"	3 3/8"	38 lbs.
4 3/4" high drawer, full-width (15 maximum)	M405FWD100	22 1/4"	27 9/16"	4 3/8"	41 lbs.
6 3/4" high drawer, full-width (11 maximum)	M407FWD100	22 1/4"	27 9/16"	6 3/8"	45 lbs.
8 3/4" high drawer, full-width (8 maximum)	M409FWD100	22 1/4"	27 9/16"	8 3/8"	51 lbs.
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 250 LBS. CAPACITY</b>			
3 3/4" high drawer, full-width (19 maximum)	M404FWD250	21 3/4"	27 9/16"	3 3/8"	53 lbs.
4 3/4" high drawer, full-width (15 maximum)	M405FWD250	21 3/4"	27 9/16"	4 3/8"	56 lbs.
6 3/4" high drawer, full-width (11 maximum)	M407FWD250	21 3/4"	27 9/16"	6 3/8"	60 lbs.
8 3/4" high drawer, full-width (8 maximum)	M409FWD250	21 3/4"	27 9/16"	8 3/8"	66 lbs.
<b>ADDITIONAL ITEMS</b>					
Art Frame Assembly, vertical, full-height	ARTFRA	1 1/2"	29"	70"	60 lbs.
Full-width Reference Shelf	MFWREFSH	54"	29 1/4"	2"	25 lbs.

+ Overall height of shelf including track is 3/4"

Drawers include full-extension, full suspension ball-bearing slides. Slides attach to cabinet with bayonet mounts and adjust vertically without tools.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 500 LBS. CAPACITY</b>			
3 3/4" high drawer, full-width (19 maximum)	M404FWD500	21 3/4"	27 9/16"	3 3/8"	53 lbs.
4 3/4" high drawer, full-width (15 maximum)	M405FWD500	21 3/4"	27 9/16"	4 3/8"	56 lbs.
6 3/4" high drawer, full-width (11 maximum)	M407FWD500	21 3/4"	27 9/16"	6 3/8"	60 lbs.
8 3/4" high drawer, full-width (8 maximum)	M409FWD500	21 3/4"	27 9/16"	8 3/8"	66 lbs.

<b>OPTIONS</b>					
EZ Glide full-height fixed runner panel system, with protective drawer bumpers	MEZRUNFH	5/8"	30"	76 3/8"	110 lbs.
<b>*EZ GLIDE DRAWERS</b>					
1 3/4" high drawer, full-width (38 maximum)	M40EZ2FW	24"	27 3/4"	1 1/2"	14 lbs.
2 3/4" high drawer, full-width (25 maximum)	M40EZ3FW	24"	27 3/4"	2 1/2"	15 lbs.
3 3/4" high drawer, full-width (19 maximum)	M40EZ4FW	24"	27 3/4"	3 1/2"	16 lbs.

\*Borroughs EZ Glide Track System denotes non-ball bearing tray.

Options with \*EZ Glide Track System

Drawer tracks are lined with a low friction, high-slip coating, in D-499 Glacier White.



# model M60



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- Slotted uprights with 1" spacing

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M60 Cabinet w/solid metal doors	M60-SD	58"	32"	84"	325 lbs.
M60 Cabinet w/solid metal doors w/vents	M60-SDV	58"	32"	84"	326 lbs.
M60 Cabinet w/metal frame glass doors	M60-GD	58"	32"	84"	375 lbs.
M60 Cabinet w/metal frame glass doors w/vents	M60-GDV	58"	32"	84"	376 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	MRSPB	58"	32"	4 1/2"	45 lbs.
Dolly Base w/4 Locking Casters	MDBLC	58"	32"	6"	100 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Removable Center Divider, full-height	M60RCD	1"	30"	77 1/4"	80 lbs.
Removable Center Divider, half-height	MHHRCD	1"	30"	38 5/8"	40 lbs.
Garment Rod & Brackets	MCOATROD				5 lbs.
<b>SHELVES – ADJUSTABLE WITH UNIVERSAL BAYONET MOUNT</b>					
Full-width shelf (400 lbs. capacity)	MFWS400	54 1/2"	29 1/4"	1"	40 lbs.
Half-width shelf (400 lbs. capacity)	MHWS400	26 1/2"	29 1/4"	1"	22 lbs.
Full-width, heavy-duty shelf (1000 lbs. capacity)	MFWS1000	54 1/2"	29 1/4"	1"	49 lbs.
<b>SHELVES – FULL EXTENSION +</b>					
Full-width shelf (100 lbs. capacity)	MFWS100	51 5/8"	28 1/4"	3/4"	50 lbs.
Half-width shelf (100 lbs. capacity)	MHWS100	23 3/4"	28 1/4"	3/4"	38 lbs.
Full-width shelf (250 lbs. capacity)	MFWS250	51 1/4"	28 1/4"	3/4"	66 lbs.
Half-width shelf (250 lbs. capacity)	MHWS250	23 3/8"	28 1/4"	3/4"	50 lbs.
Full-width shelf (500 lbs. capacity)	MFWS500	51 1/4"	28 1/4"	3/4"	66 lbs.
Half-width shelf (500 lbs. capacity)	MHWS500	23 3/8"	28 1/4"	3/4"	50 lbs.
Weapons storage insert	M60WEAP	53"	18"	68"	94 lbs.
<b>DRAWERS (INCLUDING MOUNTS) DRAWER - 100 LBS. CAPACITY</b>					
1 3/4" high drawer, full-width (38 maximum)	M2FWD100	51 1/2"	27 9/16"	1 3/8"	44 lbs.
1 3/4" high drawer, half-width (76 maximum)	M2HWD100	23 3/8"	27 9/16"	1 3/8"	34 lbs.
2 3/4" high drawer, full-width (25 maximum)	M3FWD100	51 1/2"	27 9/16"	2 3/8"	47 lbs.
2 3/4" high drawer, half-width (50 maximum)	M3HWD100	23 3/8"	27 9/16"	2 3/8"	37 lbs.
3 3/4" high drawer, full-width (19 maximum)	M4FWD100	51 1/2"	27 9/16"	3 3/8"	48 lbs.
3 3/4" high drawer, half-width (38 maximum)	M4HWD100	23 3/8"	27 9/16"	3 3/8"	38 lbs.
4 3/4" high drawer, full-width (15 maximum)	M5FWD100	51 1/2"	27 9/16"	4 3/8"	51 lbs.
4 3/4" high drawer, half-width (30 maximum)	M5HWD100	23 3/8"	27 9/16"	4 3/8"	41 lbs.
6 3/4" high drawer, half-width (22 maximum)	M7HWD100	23 3/8"	27 9/16"	6 3/8"	45 lbs.

Drawers include full-extension, full suspension ball-bearing slides. Slides attach to cabinet with bayonet mounts and adjust vertically without tools.

+ Overall height of shelf including track is 3/4"

8 3/4" high drawer, full-width (8 maximum)	M9FWD100	51 1/2"	27 9/16"	8 3/8"	61 lbs.
8 3/4" high drawer, half-width (16 maximum)	M9HWD100	23 3/8"	27 9/16"	8 3/8"	51 lbs.
Rolled Textile, open bottom drawer (15 maximum)	MROTEXT	49 7/8"	27"	4 3/4"	57 lbs.
<b>OPTIONS</b>					
<b>ADDITIONAL ITEMS</b>					
Textile Tubes	M60TEXTUB	49 7/8"	1"	1"	2.5 lbs.
Art Frame Assembly, vertical, full-height	ARTFRA	1 1/2"	29"	70"	60 lbs.
Full-width Reference Shelf	MFWREFSH	54"	29 1/4"	2"	40 lbs.
Half-width Reference Shelf	MHWREFSH	26 1/8"	29 1/4"	2"	25 lbs.
<b>DRAWERS (INCLUDING MOUNTS) DRAWER - 250 LBS. CAPACITY</b>					
3 3/4" high drawer, full-width (19 maximum)	M4FWD250	51"	27 9/16"	3 3/8"	63 lbs.
3 3/4" high drawer, half-width (38 maximum)	M4HWD250	22 7/8"	27 9/16"	3 3/8"	53 lbs.
4 3/4" high drawer, full-width (15 maximum)	M5FWD250	51"	27 9/16"	4 3/8"	66 lbs.
4 3/4" high drawer, half-width (30 maximum)	M5HWD250	22 7/8"	27 9/16"	4 3/8"	56 lbs.
6 3/4" high drawer, full-width (11 maximum)	M7FWD250	51"	27 9/16"	6 3/8"	70 lbs.
6 3/4" high drawer, half-width (22 maximum)	M7HWD250	22 7/8"	27 9/16"	6 3/8"	60 lbs.
8 3/4" high drawer, full-width (8 maximum)	M9FWD250	51"	27 9/16"	8 3/8"	76 lbs.
8 3/4" high drawer, half-width (16 maximum)	M9HWD250	22 7/8"	27 9/16"	8 3/8"	66 lbs.
<b>DRAWERS (INCLUDING MOUNTS) DRAWER - 500 LBS. CAPACITY</b>					
3 3/4" high drawer, full-width (19 maximum)	M4FWD500	51"	27 9/16"	3 3/8"	63 lbs.
3 3/4" high drawer, half-width (38 maximum)	M4HWD500	22 7/8"	27 9/16"	3 3/8"	53 lbs.
4 3/4" high drawer, full-width (15 maximum)	M5FWD500	51"	27 9/16"	4 3/8"	66 lbs.
4 3/4" high drawer, half-width (30 maximum)	M5HWD500	22 7/8"	27 9/16"	4 3/8"	56 lbs.
6 3/4" high drawer, full-width (11 maximum)	M7FWD500	51"	27 9/16"	6 3/8"	70 lbs.
6 3/4" high drawer, half-width (22 maximum)	M7HWD500	22 7/8"	27 9/16"	6 3/8"	60 lbs.
8 3/4" high drawer, full-width (8 maximum)	M9FWD500	51"	27 9/16"	8 3/8"	76 lbs.
8 3/4" high drawer, half-width (16 maximum)	M9HWD500	22 7/8"	27 9/16"	8 3/8"	66 lbs.

Options with \*EZ Glide Track System

Drawer tracks are lined with a low friction, high-slip coating, in D-499 Glacier White.

EZ Glide full-height, fixed-runner panel system, with protective drawer bumpers	M60EZRUNFH	5/8"	30"	76 3/8"	110 lbs.
EZ Glide half-height, fixed-runner panel system, with protective drawer bumpers	MEZRUNHH	5/8"	30"	31 7/8"	55 lbs.
<b>*EZ GLIDE DRAWERS</b>					
Removable center divider, full-height	M60EZRCD	1"	29"	76 1/4"	120 lbs.
Removable center divider, half-height	M60HHEZRCD	1"	29"	38"	60 lbs.
1 3/4" high drawer, full-width (38 maximum)	MEZ2FW	53"	27 3/4"	1 1/2"	25 lbs.
1 3/4" high drawer, half-width (76 maximum)	MEZ2HW	24 3/8"	27 3/4"	1 1/2"	15 lbs.
2 3/4" high drawer, full-width (25 maximum)	MEZ3FW	53"	27 3/4"	2 1/2"	26 lbs.
2 3/4" high drawer, half-width (50 maximum)	MEZ3HW	24 3/8"	27 3/4"	2 1/2"	16 lbs.
3 3/4" high drawer, full-width (19 maximum)	MEZ4FW	53"	27 3/4"	3 1/2"	28 lbs.
3 3/4" high drawer, half-width (38 maximum)	MEZ4HW	24 3/8"	27 3/4"	3 1/2"	17 lbs.

## model M62



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- Slotted uprights with 1" spacing

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M62 Cabinet w/solid metal doors	M62-SD	96"	32"	79"	470 lbs.
M62 Cabinet w/solid metal doors w/vents	M62-SDV	96"	32"	79"	500 lbs.
M62 Cabinet w/metal frame glass doors	M62-GD	96"	32"	79"	600 lbs.
M62 Cabinet w/metal frame glass doors w/vents	M62-GDV	96"	32"	79"	620 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M62RSPB	96"	32"	4 1/2"	65 lbs.
Dolly Base w/4 locking casters	M62DBLC	96"	32"	6"	125 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
Rolled Textile, open bottom drawer w/mounts	M62ROTEXT	87 7/8"	27"	4 3/4"	67 lbs.
Textile Tubes	M62TEXTUB	87 7/8"	1"	1"	5 lbs.
Art Frame Assembly, full-height, vertical	ARTFRA	1 1/2"	29"	70"	60 lbs.
<b>SHELVES</b>					
Full-width adjustable shelf – bayonet mount	M62FWSH	92 1/2"	29 1/4"	1"	65 lbs.
Full extension, full-width shelf (250 lbs. capacity)+	M62FWS250	89 1/4"	28 1/4"	3/4"	75 lbs.
Full extension, full-width shelf (500 lbs. capacity)+	M62FWS500	89 1/4"	28 1/4"	3/4"	80 lbs.
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 250 LBS. CAPACITY</b>			
3 3/4" high drawer, full-width (18 maximum)	M624FWD250	89"	27 9/16"	3 3/8"	80 lbs.
4 3/4" high drawer, full-width (14 maximum)	M625FWD250	89"	27 9/16"	4 3/8"	83 lbs.
6 3/4" high drawer, full-width (10 maximum)	M627FWD250	89"	27 9/16"	6 3/8"	88 lbs.
8 3/4" high drawer, full-width (8 maximum)	M629FWD250	89"	27 9/16"	8 3/8"	95 lbs.
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 500 LBS. CAPACITY</b>			
3 3/4" high drawer, full-width (18 maximum)	M624FWD500	89"	27 9/16"	3 3/8"	80 lbs.
4 3/4" high drawer, full-width (14 maximum)	M625FWD500	89"	27 9/16"	4 3/8"	83 lbs.
6 3/4" high drawer, full-width (10 maximum)	M627FWD500	89"	27 9/16"	6 3/8"	88 lbs.
8 3/4" high drawer, full-width (8 maximum)	M629FWD500	89"	27 9/16"	8 3/8"	95 lbs.

+ Overall height of shelf including track is 3/4"

Drawers include full-extension, full suspension ball-bearing slides. Slides attach to cabinet with bayonet mounts and adjust vertically without tools.

## model M64



- Two lift-off reinforced doors
- Three-point latching system
- Four levelers, adjustable from inside
- Protective drawer bumper stop

Cabinet dimensions shown are exterior.

Drawer dimensions shown are interior.

DESCRIPTION	PART NO.	WIDTH	DEPTH	HEIGHT	WEIGHT
M64 Cabinet w/solid metal doors	M64-SD	39 1/2"	16 5/8"	84"	266 lbs.
M64 Cabinet w/solid metal doors w/vents	M64-SDV	39 1/2"	16 5/8"	84"	267 lbs.
M64 Cabinet w/metal frame glass doors	M64-GD	39 1/2"	16 5/8"	84"	295 lbs.
M64 Cabinet w/metal frame glass doors w/vents	M64-GDV	39 1/2"	16 5/8"	84"	296 lbs.
<b>OPTIONS</b>					
Removable Sanitary Pallet Base	M64RSPB	39 1/2"	16 5/8"	4 1/2"	30 lbs.
Magnetic Fumigant Pocket (black)	MFP-040				1 lb.
<b>SHELVES</b>					
Full-width adjustable shelf-bayonet mount (400 lbs. capacity)	M64FWS400	36"	13 7/8"	1"	20 lbs.
Full extension, full-width shelf (100 lbs. capacity)+	M64FWS100	33 1/8"	12 7/8"	3/4"	35 lbs.
Full extension, full-width shelf (250 lbs. capacity)+	M64FWS250	32 3/4"	12 7/8"	3/4"	45 lbs.
<b>DRAWERS (INCLUDING MOUNTS)</b>		<b>DRAWER - 100 LBS. CAPACITY</b>			
1 3/4" high drawer, full-width (38 maximum)	M642FWD100	33"	12 3/16"	1 3/8"	32 lbs.
3 3/4" high drawer, full-width (19 maximum)	M644FWD100	33"	12 3/16"	3 3/8"	36 lbs.

+ Overall height of shelf including track is 3/4"


Drawers include full-extension, full suspension ball-bearing slides, slides attach to cabinet with bayonet mounts, adjust vertically without tools

Notes:

While we have attempted to keep all dimensions and specifications as accurate as possible, we disclaim any implied warranty or representation about their accuracy, completeness, or appropriateness for a particular purpose. Product specifications may be subject to change at any time. Please consult your Borroughs representative or Customer Service for additional information.

# Borroughs Standard Powder Coat Colors


Borroughs powder coat finishes are high quality, durable and inert. Borroughs offers 8 standard colors. We also offer custom color matching, using Borroughs computerized technology.



010 Autumn Haze



159 Eggshell



445 White




065 Gray




040 Black



161 Mist Gray



D492 Parchment



F604 Pebble

The colors depicted on this publication have been reproduced using a printing process and are only provided as a guide. The actual painted product may vary. All colors are not available on all products. Please contact your Borroughs Dealer for details.



All products shown are available under GSA Federal Supply Schedule.

**Contract #GS-27F-0045N.**

\*Effective Through 7/16/13.

 **Material Handling USA**  
**800-326-4403**  
<https://www.mh-usa.com/>



## Borroughs Corporation

Authorized Dealer: Material Handling USA

222 S. Main St. 5th Floor, Salt Lake City, UT 84101 | Sales@MH-USA.com | <https://www.mh-usa.com/> | 800-326-4403

**ISO 14001:2004 and 9001:2008 Registered**

Printed in the U.S.A. | © 2012 Borroughs Corporation | Form # 80-51414-0506



**Mixed Sources**  
Product groups from well-managed forests, controlled sources and recycled wood or fibre.  
www.fsc.org Cert no. SA-COC-1530  
© 1996 Forest Stewardship Council